




PRORACK

Powered by PROLINK

We provide customers with satisfactory products and services according to international standards, to meet different customer needs.



Description:

- Wall mount cabinet with glass door, 1 fan, 1 shelf and 1 PDU 6 outlet.

Main material:

- Cold-rolled steel

Load capacity:

- Static load: 800KG


Surface treatment:

- Degreasing, pickling, phosphating, laundering, powder coating

Features:


- Exquisite design with precise dimensions and craftsmanship
- Two side panels for each side can be separately open with locks, which are easy to operation and maintenance
- Two back sides with multifunctional cable routing panels
- High-class locks
- Casters and support feet can be installed simultaneously
- Optional pedestals for fixation, cable routing, ventilation, and rat proof
- Curved front screen door & back double screen door enable equipment to ventilate well
- Various optional accessories
- Pro-Rack logo is printed on the side panel

Structure




- 1. Top cover
- 2. Bottom plate
- 3. Frame
- 4. Front door
- 5. Side panel
- 6. Horizontal bracket
- 7. L-shaped bar
- 8. Back panel
- 9. Mounting panel
- 10. Profile Rail

Size



Installing



Technical parameters:

NANES	QUANTITY	UNIT	MATERIALS	SURFACE TREATMENT	REMARKS
Top Covers	1	Pc	1.0mm cold-rolled steel	powder coating	
Bottom plates	1	Pc	1.0mm cold-rolled steel	powder coating	
Frames	2	Pc	1.0mm cold-rolled steel	powder coating	
Front doors	1	Pc	5mm tempered glasses 1.2mm cold-rolled steel	powder coating	Glass Door Type B
Side panels	2	Pc	1.2mm cold-rolled steel	powder coating	
Horizontal brackets	4	Pc	1.2mm cold-rolled steel	powder coating	
L-shaped panels	2	Pc	1.2mm cold-rolled steel	powder coating	
Back panels	1	Pc	1.0mm cold-rolled steel	powder coating	
Wall hanging panels	1	Pc	1.2mm cold-rolled steel	powder coating	
Profile rails	4	Pc	1.5mm cold-rolled steel	powder coating	
Cage nuts	20	Pc		powder coating	
Sockets with 6 outlet 16A – 3500 Watt	1	Pc			
Fans	1	Pc	1.2mm cold-rolled steel	powder coating	
Shelves	1	Pc	1.2mm cold-rolled steel	powder coating	
M8*12 Inner Six angle Screw	16	Pc		powder coating	
M8 Flange Nut	12	Pc		powder coating	
M6*12 Screw	12	Pc		powder coating	
M6 Stainless Steel Square Nut	12	Pc		powder coating	
M4*8 Self tapping Screw	12	Pc		powder coating	
3MM Plastic Washer	1	Pc			
Lock (HP-39)	1	Pc			

TYPES	PR-W6609
CAPACITY (U)	9U
WIDTH	600
DEPTH	600
HEIGHT	500
WHOLE PACKAGE	
WIDTH	620
DEPTH	620
HIGHT	530
VOLUME (M ³)	0.154
FLAT PACKAGE	
PACKAGE	620*530*170
VOLUMES (M ³)	0.082
Front Door	Glass

Color:

 **BLACK (RAL9005)**